







### QUICK SHIP LIST

Mark order "Quick Ship" for Shipment in three days or less.

Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b>		
<b>6" Aperture, Specification Grade Downlight for Single Vertical Triple Tube Lamp</b>		
	6LPVF126TE4	LP1.0
	6LPVF132TE4	
	6LPVF142TE4	
	6LPVF113QE4	LP1.0
	6LPVF118QE4	
	6LPVF126QE4	
	6VFMDSCLPF	medium distribution, soft specular clear Alzak
6VFWDSCLPF	wide distribution, soft specular clear Alzak	
6VFMHAZPF	medium distribution, haze Alzak	
6VFWHAZPF	wide distribution, haze Alzak	
Suffix "BB"	adder for optional Butterfly Bracket (spec grade)	

<b>FLUORESCENT</b>		
<b>6" Aperture, Specification Grade Downlight for One Horizontal Triple Tube or Quad Tube Lamp</b>		
	6LPHF126TE4	LP6.0
	6LPHF132TE4	
	6LPHF142TE4	
	6LPHF113QE4	
	6LPHF118QE4	
	6LPHF126QE4	
	6HF1SCLPF	open reflector, soft specular clear Alzak
(*) Standard Lead Times Apply to These Trims - Call for Availability		
6HF1XBSCCLPF*	reflector with cross blade parabolic louver	LP7.0
6HF1FLSCLPF*	Fresnel glass lens	
6HF1C73SCLPF*	Corning C73 Prismatic lens	
6HF1CALSCLPF*	clear acrylic lens	
6HF1CLSCLPF*	clear glass lens	
Suffix "BB"	adder for optional Butterfly Bracket (spec grade)	

Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b>		
<b>6" Aperture, Specification Grade Downlight for Two Horizontal Quad Tube Lamps</b>		
<b>6LPHF213QE4</b>	recessed housing for (2) 13W quad cfl	LP4.0
<b>6LPHF218QE4</b>	recessed housing for (2) 18W quad cfl	
<b>6LPHF226QE4</b>	recessed housing for (2) 26W quad cfl	
<b>6HF2SCLPF</b>	open reflector, soft specular clear Alzak	
<b>(*) Standard Lead Times Apply to These Trims - Call for Availability</b>		
<b>6HF2XBSCCLPF*</b>	reflector with cross blade parabolic louver	LP5.0
<b>6HF2FLSCLPF*</b>	Fresnel glass lens	
<b>6HF2C73SCLPF*</b>	Corning C73 Prismatic lens	
<b>6HF2CALSCLPF*</b>	clear acrylic lens	
<b>6HF2CLSCLPF*</b>	clear glass lens	
<b>Suffix "BB"</b>	add for optional Butterfly Bracket (spec grade)	

**LEGENDS Plus**  
Affordable PERFORMANCE




<b>FLUORESCENT</b>		
<b>6" Aperture, Shallow Depth Downlight for One Compact Fluorescent Triple Tube or Quad Tube Lamp</b>		
<b>6LP SHF126TE4</b>	recessed housing, shallow depth for (1) 26W PLT lamp	LP11.5
<b>6LP SHF132TE4</b>	recessed housing, shallow depth for (1) 32W PLT lamp	
<b>6LP SHF142TE4</b>	recessed housing, shallow depth for (1) 42W PLT lamp	
<b>6LP SHF118QE4</b>	recessed housing, shallow depth for (1) 18W quad cfl	
<b>6LP SHF126QE4</b>	recessed housing, shallow depth for (1) 32W quad cfl	
<b>6SHF1SCLPF</b>	open reflector, soft specular clear Alzak	
<b>(*) Standard Lead Times Apply to These Trims - Call for Availability</b>		
<b>6SHF1XBSCCLPF*</b>	reflector with cross blade parabolic louver	LP9.5
<b>Suffix "BB"</b>	add for optional Butterfly Bracket (spec grade)	


**LEGENDS Plus**  
Affordable PERFORMANCE





<b>6" Aperture, Shallow Depth Downlight for Two Quad Tube Lamps</b>		
<b>6LP SHF213QE4</b>	recessed housing, shallow depth for (2) 13W quad cfl	LP9.5
<b>6LP SHF218QE4</b>	recessed housing, shallow depth for (2) 18W quad cfl	
<b>6LP SHF226QE4</b>	recessed housing, shallow depth for (2) 26W quad cfl	
<b>6SHF2SCLPF</b>	open reflector, soft specular clear Alzak	
<b>(*) Standard Lead Times Apply to These Trims - Call for Availability</b>		
<b>6SHF2XBSCCLPF*</b>	reflector with cross blade parabolic louver	LP9.5
<b>Suffix "BB"</b>	add for optional Butterfly Bracket (spec grade)	





	Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b> 	<b>6" White "New Work" Can, for Vertical 13W, 18W, 26W Quad Lamp, IC Rated</b>		
	FC7-4E	120/277 HPF electronic ballast, for (1) 13W lamp	FL1.0
	FC7118-4E	120/277 HPF electronic ballast, for (1) 18W quad	
	FC7126T-4E	120/277 HPF elec ballast, for (1) 26 or 32W PLT lamp	
	CC7100	clear Alzak reflector with white flange	


	Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b> 	<b>6-3/4" Aperture Housing for (1) 26W, 32W, or 42W Vertical Triple Tube Lamp</b>		
	FS71UTE4	120/277 HPF electronic ballast	FL11.0
	CF7110IR	clear Alzak reflector, low iridescent finish, for 26W and 32W lamps	
	CF7200IR	clear Alzak reflector, low iridescent finish, for 42W lamp	
	CWW7120IR	clear alzak open wall wash reflector	


	Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b> 	<b>7-1/2" Aperture, for (1) 26W, 32W or 42W Vertical Triple Tube Lamp</b>		
	FS81UTE4	120/277 HPF electronic ballast	FL18.0
	CF8200IR	clear Alzak reflector, low-iridescent finish	
	CWW8200IR	clear alzak open wall wash reflector	

	Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b> 	<b>6-3/4" Aperture for (2) Horizontal Twin Tube or Quad Tube Lamps</b>		
	FF7213-4E	120/277 HPF electronic ballast for 13W lamp(s)	FL12.0
	FF7226-4E	120/277 HPF electronic ballast for 26 lamp(s)	FL12.0
	C7	clear Alzak reflector, low iridescent	
	CWW7	clear alzak open wall wash reflector	



	Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b> 	<b>7-1/2" Aperture Downlight, (2) Horizontal 12, 18, 26 Watt Lamps</b>		
	FF8226-4E	120/277 HPF electronic ballast	FL24.0
	C8	clear Alzak reflector, low iridescent finish	

	Catalog No.	Description	Cat. Page No.
<b>FLUORESCENT</b> 	<b>7-1/2" Apert. Housing, Electronic Ballasts Standard</b>		
	FF8232T-4E	120/277 HPF for (2) 26-32W lamps	FL30.0
	C8T	clear Alzak reflector, low iridescent finish	


Metal Halide	Catalog No.	Description	Cat. Page No.	
	<b>6-3/4" Aperture, Metal Halide Downlight. For enclosed rated lamp.</b>			
	MH7CE	H150E4	Electronic	
	MH7CE	H100E4	Electronic	
	MH7CE	H70E4	Electronic	
	MH7CE	H50E4	Electronic	
<i>Trims, white flange standard.</i>				
CFL7110	clear Alzak reflector with glass shield			
FF7110	glass fresnel lens with white splay			


Metal Halide	Catalog No.	Description	Cat. Page No.	
	<b>6-3/4" Open Aperture H.I.D. Downlight, for open rated lamps only.</b>			
	MH7E	H150E4	Electronic	
	MH7E	H100E4	Electronic	
	MH7E	H70E4	Electronic	
	MH7E	H50E4	Electronic	
<i>Trims, white flange standard.</i>				
CF7110	clear Alzak reflector			

**LOW VOLTAGE**





Catalog No.	Description	Cat. Page No.
<b>4" Aperture Low Voltage, 50 or 75W MR16</b>		
LV4	120 volt, 50 watt new work housing	IN1.0, IN1.1
RLV4	120 volt, 75 watt remodel housing	
<b>Airtight, IC Rated Housing</b>		
LV4ATIC	120 volt, 50 watt airtight/IC new work housing	IN1.2, IN1.3
<b>Trim styles for the above low voltage housings</b>		
CA450	adjustable, clear Alzak reflector with white flange	
GA450	adjustable, gold Alzak reflector with white flange.	
BAB450	adjustable, black baffle with white flange	
WAB450	adjustable, white baffle with white flange	
GBL450	diecast adjustable gimbal, white	
FE450	adjustable flat eyeball, white	
FE450SN	adjustable flat eyeball, satin nickel finish	
EBA450	adjustable eyeball in choice of finishes shown. Interior is a black baffle	white finish
EBA450G		polished gold finish
EBA450CR		polished chrome finish
GBL450	adjustable diecast gimbal with black baffle. Choice of finishes shown.	white finish
GBL450CR		polished chrome finish
GBL450G		polished gold finish
GBL450SN		satin nickel finish
PHL450	2" pinhole, white finish, white flange	
SL450	slot aperture, white finish, white flange	
WGR450	decorative glass disk frosted white, white flange	
BGR450	decorative glass disk frosted cobalt blue, white flange	
WSGR450	decorative stepped glass frosted white, white flange	
BSGR450	decorative stepped glass frosted cobalt blue, white flange	
PSGR450	decorative stepped glass frosted pink, white flange	
SLW450	decorative frosted glass dome, gasketed for wet label	

INCANDESCENT	Catalog No.	Description	Cat. Page No.
	<b>4" Aperture Incandescent Downlight, 50R/PAR20</b>		
	TC4	new work housing, 120Volt	IN2.0
	RC4	old work housing, 120 Volt	
	ATIC4	Airtight IC housing, with trim gasket	IN2.1
	- 277	adder for 277 volt input	
	CC450	specular clear cone with white flange	
	BB450	black baffle with white flange	
	WB450	white baffle with white flange	
	EB450	white adjustable eyeball	
	WW450	white wall wash	

INCANDESCENT	<b>6-3/4" Aperture Incandescent New Work Recessed Housings</b>		
	TC7	150W new work housing, for use with all trims	IN5.0
	ATIC7	75W Air Tight, IC rated, new work housing	IN4.5
	SC7	75W Shallow Old Work Housing for 6" ceiling joist	
	CC775	clear Alzak reflector with white flange, 75R30/Par38	
	GC775	gold Alzak reflector with white flange, 75R30/Par38	
	CC7100	clear Alzak reflector with white flange, 100A19	
	CC7150	clear Alzak reflector with white flange, 50R40/Par38	
	BB775	black baffle, white flange, R30/PAR30	
	WB775	white baffle, R30/PAR30, flange finishes as shown	
	BB7150	black baffle, white flange, R40/PAR38	
	WB7150	white baffle, white flange, R40/PAR38	
	OR775	white open trim, white flange, R30/PAR30	
	OR7150	white open trim, white flange, R40/PAR38	
	EB775	adjustable eyeball, white flange, R30/PAR30	
	FG760R	white gasketed shower trim, albalite glass, 60A19	
	FR760R	white gasketed shower trim, fresnel glass, 60A19	
	DO760R	white gasketed shower trim, drop opal glass, 40A19	
	PR760R	white gasketed shower trim, radial prismatic polycarb., 60A19	
	PD760R	white gasketed shower trim, drop opal polycarb., 40A19	
WW775	white scoop wall wash		

**INCANDESCENT**



Catalog No.	Description	Cat. Page No.
<b>6-3/4 Aperture, Incandescent Housings and Trims</b>		
TF711	150W New Work Housing	IN8.0-IN9.0
suffix # - 277	adder for 277 volt input	
<b>Trims, white flange standard.</b>		
CF7100	clear Alzak reflector, 100A19/150A21/100R30	
CCF7150	clear alzak reflector, 100R30/150PAR38	
CF7200	clear Alzak reflector, 100A19/150A21/100R30	
BBCF7100	black baffle/clear alzak reflector 100R30/150PAR38	
BWCF7150	white baffle/clear alzak reflector	
SFCF7150	satin finish reflector	
FE775	white eyeball, 75BR30/75PAR30	
WWF7100	white eyelid wallwash	
WWBF7150	scoop baffle wallwash, 75BR30/100A19/150A21	
ACF7150	clear alzak adjustable, 75BR30/150PAR38	
AWF7150	white step baffle adjustable, 75BR30/150PAR38	
CWW7090	clear alzak, 90 degree cutout wallwash	
CWW7120	clear alzak, 120 degree cutout wallwash	
CWW7180	clear alzak, 180 degree cutout wallwash	
CWW7290	clear alzak, double 90 degree cutout wallwash	
PDO7100	plastic shower drop opal	



Mark order "Quick Ship" for Shipment in three days or less.

10% COMMISSION on 2011 Hot Sheet Prices!



Catalog No.	Description
<b>Plastic Unit Equipment</b>	
AR-2-DL	Emergency Unit, 6V 12W, damp location
AR-2-DL-LT	Emergency Unit, 6V 12W, damp location, laser test
AR18-2-DL	Emergency Unit, 6V 18W, 6W remote capacity, damp location



<b>New Plastic Emergency Lighting Unit</b>	
G27-2SQ	27W/90 Minutes, Two Square Lighting Heads
12G50-2SQ	54W/90 Minutes, Two Square Lighting Heads



<b>Plastic LED Exit, Red Letters, Nicad Battery</b>	
PEXUR-DL	Single Face, Universal Mount, Damp Location
PEXUR-DL-LT	Red Letters, nicad battery, laser test, damp
PEXUG-DL	Green Letters, nicad battery, damp
PEXUG-DL-LT	Green Letters, nicad battery, laser test, damp



<b>Combo Exits, Red Letters, Universal Mount, Lead Calcium Battery</b>	
PLEP12X1CR	Single Face, Universal Mount
PLEP12XUR	Single/Double Face, Universal Mount
PLEP18X1CR-REM	Single Face Universal Mount Combo Exit with Outdoor Remote Lighting Head F3606HSB-WP
PLEP18XUR-REM	Total Universal Combo Exit with Outdoor Remote Lighting Head F3606HSB-WP

*Innova*



Catalog No.	Description
<b>INNOVA LED Plastic Exits, Single/Double Face</b>	
XR-LT	Red LED, nicad battery, laser test
XR-DL-LT	Red LED, nicad battery, laser test, damp location
XG-LT	Green LED, nicad battery, laser test
XG-DL-LT	Green LED, nicad battery, laser test, damp location



<b>Plastic Edgelit Exit, Surface Universal Mounting, Nicad Battery</b>	
PLSTEX1CRC	Single Face Universal Mount, Red Letters on Clear
PLSTEX1CRW	Single Face Universal Mount, Red Letters/White Background
PLSTEX1CRM	Single Face Universal Mount, Red Letters/Mirror Background
PLSTEX2CRW	Double Face Universal Mount, Red Letters/White Background
PLSTEX2CRM	Double Face Universal Mount, Red Letters/Mirror Background

<b>Plastic Edgelit Exit, Recessed Ceiling Mounting, Nicad Battery</b>	
PLTEX1CRC	Single Face Ceiling Mount, Red Letters on Clear
PLTEX1CRW	Single Face Ceiling Mount, Red Letters/White Background
PLTEX1CRM	Single Face Ceiling Mount, Red Letters/Mirror Background
PLTEX2CRW	Double Face Ceiling Mount, Red Letters/White Background
PLTEX2CRM	Double Face Ceiling Mount, Red Letters/Mirror Background



<b>Specification Diecast Aluminum LED Exits</b>	
LDX1CR	Single Face AC only, Universal Mount with canopy.
LDX2R	Double Face AC only, Universal Mount with canopy
LDEX1CR	Single Face Red LED, nicad battery, black frame, brushed face
LDEX2R	Double Face, Red LED, nicad battery, black frame, brushed face



<b>Fluorescent Packs</b>	
F40	2'-4' 500 lumens
F40P	2'-8' 700 lumens
2F40P	1 or 2 lamps 2'-8' 1300 lumens